

2009

Chrysler



VEHICLE MODEL HIGHLIGHTS AND SPECIFICATIONS

“We believe that selecting the right company is just as important as selecting the right vehicle. That’s why we appreciate the relationship that we enjoy with Enterprise Fleet Management.”

*Pat Dougherty
Director, Fleet Operations*

2009 Chrysler



Cars

38

CHRYSLER 300 The Chrysler 300 delivers the same annual fuel cost for AWD or RWD models, and even offers a fleet-only Safety/Security & Convenience Group. The spacious 17.2 cu. ft. trunk allows the driver plenty of room for cargo. Keyless Go with Passive Entry, and features such as push-button ignition, remote start system and an upgraded 30GB MyGIG® Infotainment System are just a few of the available options that set the 300 apart. The Executive Series is available with a 6-inch longer wheelbase. Fleet available options include power adjustable pedals, daytime running lamps, UConnect® Hands-Free Communication System, and SIRIUS® Satellite Radio.

DODGE AVENGER The SmartWaySM Certified 2009 Dodge Avenger delivers outstanding flexibility, safety and value, including an available fold-flat front-passenger seatback, standard side-curtain air bags, and an available Flexible Fuel engine. For 2009, Avenger comes with three engine options: 2.4 liter 4-cylinder World Engine with dual VVT, 2.7 liter V6 Flex Fuel engine, and 3.5 liter High Output V6. The new 2.4 liter 4-cylinder Partial Zero Emissions Vehicle (PZEV) is available in California Emissions States. The 6-speed AutoStick® transaxle is available only with the 3.5 liter engine. The 2.7 liter V6 Flex Fuel engine (not available in CA, CT, MA, ME, NY, PA, RI and VT., a 2.4 liter PZEV or a 2.7 liter gasoline engine will be substituted) runs on environmentally friendly E85 ethanol, as well as regular gasoline and is a fleet available feature. Other available fleet features include: daytime running lamps, UConnect® Hands-Free Communication System, manual driver lumbar support, and 8-way power driver seat.

DODGE CHARGER The Dodge Charger offers the HEMI® V8 engine with fuel-saving Multi-Displacement System (MDS) technology and plenty of standard safety and security features. Charger comes with four engine choices: 2.7 liter DOHC 24V V6 with 4-speed automatic, 3.5 liter SOHC High Output 24V V6 with 4-speed automatic, 3.5 liter SOHC High Output 24V V6 with 5-speed AutoStick® on AWD models, or a 5.7 liter SOHC Multi-Displacement System (MDS) HEMI V8 with 5-speed AutoStick. Remote start system, power adjustable pedals, 8-way power driver and front-passenger seat, and an upgraded 30GB MyGIG® Radio are all available for 2009.

CHRYSLER SEBRING For 2009, the Chrysler Sebring Sedan offers the versatility of fold-flat and split-folding seatbacks, the security of six standard air bags, the value of available YES Essentials® seat fabric, the environmental friendliness of SmartWay® Certification, an available Flexible Fuel engine, and an estimated 30 highway mpg. Sebring offers a generous 42.4 inches of front seat leg room, 36.2 inches of rear seat leg room, and 13.6 cu. ft. of trunk space. Sebring offers plenty of choices for power: 2.4 liter World Engine with Dual VVT 16V I-4, 2.7 liter Flex Fuel DOHC 24V V6, 3.5 liter High Output 24V V6, and the new 2.4 liter 4-cylinder Partial Zero Emissions Vehicle (PZEV) is available in California Emissions States.

Vans

DODGE GRAND CARAVAN CARGO VAN The 2009 Dodge Grand Caravan Cargo Van provides versatile utility, load-leveling commercial wagon suspension, a Flexible Fuel engine, the highest U.S. government front and side crash test ratings, and interior space and garageability that is perfect for all business needs. The standard engine is a 3.3 liter V6 FFV four-speed automatic that delivers 175hp. Other standards include a load-leveling commercial wagon suspension, 143.8 cu. ft. of maximum available cargo volume, Sliding Door Alert System, dual sliding doors, and front and rear power accessory outlets.

DODGE GRAND CARAVAN The 2009 Dodge Grand Caravan incorporates standard safety features, standard Stow 'n Go® or optional Swivel 'n Go™ and the highest U.S. Government front and side crash test rating into your complete mobile office solution. Engine and transmission choices include: 3.3 liter V6 Flex Fuel 4-speed automatic, 3.8 liter OHV V6 with 6-speed automatic, or 4.0 liter V6 SOHC with 6-speed automatic. There are plenty of standards that make Caravan a comfortable choice, with Stow 'n Go® seating and storage system, Sliding Door Alert System, front and rear 12-volt DC power accessory outlets, and power 2nd-row windows/rear quarter vents. Power sliding doors and power liftgate, power adjustable pedals, remote start system, power folding 3rd-row seat with one-touch operation, 2nd- and 3rd-row retractable window shades all come available on the 2009 model.

39



2009 Chrysler

CHRYSLER TOWN & COUNTRY Standard Stow 'n Go® or optional Swivel 'n Go™, optional Flexible Fuel engine, plus standard safety features help Chrysler Town & Country add value, comfort and convenience to your fleet. Engine and transmission choices include: 3.3 liter V6 FFV four-speed automatic, 3.8 liter OHV V6 with 6-speed automatic, and 4.0L V6 SOHC with 6-speed automatic. Town & Country offers 143.8 cu. ft. of maximum available cargo volume. Town & Country is as safe as it is comfortable with its standard Advanced multistage driver and front-passenger air bags, advanced multistage driver and front-passenger air bags, remote keyless/illuminated entry, and Sentry Key® antitheft engine immobilizer.

DODGE SPRINTER A 5,570-lb. available payload, an available 600 cu. ft. of cargo capacity, outstanding fuel economy, and it's upfit friendly. Sprinter come standard with a 25-gallon fuel tank, 3.0 liter Common Rail Diesel (CRD) V6 engine, and 5-speed automatic transmission with AutoStick®. Safety is top-of-mind with Sprinter's standard driver-side and front-passenger air bags and available supplemental front seat side air bags and supplemental side-curtain air bags. Other safety standards include Load Adaptive Control, Electronic Roll Mitigation (ERM), Brake Assist, four-wheel disc anti-lock brakes, Acceleration Skid Control, and remote keyless/illuminated entry.

SUVs

CHRYSLER ASPEN The all-new Chrysler Aspen features your choice of two environmentally friendly engines; the 50-state 4.7 liter Flex Fuel and the HEMI® Hybrid — with plenty of premium amenities. The new HEMI Hybrid delivers a nearly 25% overall fuel savings without sacrificing power — an almost 40% gain in city driving. The updated and available 5.7L HEMI V8 with Variable Valve Timing (VVT) and dual stage active intake manifold on gas models for increased horse power and torque without sacrificing fuel economy. Aspen has 8,900-lb. maximum towing capacity and a maximum Gross Vehicle Weight Rating (GVWR) of 6,650 lb. (7,050 lb. for Hybrid model). There is room for up to eight adults and exceptional cargo volume behind the 2nd-row seat. MyGIG® Infotainment System is available on gas models and standard on Hybrid models

DODGE DURANGO Dodge Durango provides full-size capability, capacity and outstanding safety and security. And it's got a heart of "green" when paired with the available HEMI® Hybrid that delivers the kind of power and reliability you desire for your Fleet. The new HEMI Hybrid delivers almost a 25% improvement in combined fuel economy without sacrificing power, and nearly a 40% gain in city driving. The updated and available 5.7 liter HEMI V8 with Variable Valve Timing (VVT) and dual-stage active intake manifold on gas models offer increased horsepower and torque without sacrificing fuel economy. There is also an available 50-state 4.7 liter Flex Fuel V8 engine.

Durango offers plenty of room with 102.4 cu. ft. of cargo capacity with the 2nd- and 3rd-row seats folded and 20.1 cu. ft. with the seats up. Its hydroformed frame with octagonal front-frame rail tips provides strength and durability for a smoother ride.

DODGE NITRO The 2009 Dodge Nitro's LOAD 'N GO® floor makes loading and unloading heavy items easier, while its many standard safety features deliver driver peace of mind. Nitro offers two V6 engines: 3.7 liter SOHC V6 engine, which delivers 210hp, and the 4.0 liter SOHC V6 engine, which delivers 260hp. Nitro delivers a comfortable ride with its standard fold-flat and reclining front passenger and rear seats. Standard safety features include advanced multistage driver and front-passenger air bags with Occupant Classification System, supplemental side-curtain air bags with roll-sensing technology, Electronic Stability Program, 4-wheel disc brakes with ABS, Sentry Key® antitheft engine immobilizer, remote keyless/illuminated entry, and speed-sensitive power locks.

JEEP COMMANDER The 2009 Jeep Commander offers spacious, flexible seating with room for seven and standard safety technology features including advanced side-curtain air bags for all passengers. Quadra-Drive II® 4x4 combines a full-time transfer case with Electronic Limited Slip Differentials (ELSD) for class-leading 4-wheel-drive capability. Available engines include the redesigned and more powerful 5.7 liter HEMI® V8, and the 4.7 liter Flex Fuel V8 (E85-compatible). The available Remote Proximity Keyless Entry allows operator to enter vehicle without the traditional use of a key or key fob. Commander is as flexible as it is roomy with 40/20/40 split-folding 2nd-row seat and 50/50 splitfolding 3rd-row seat, which provides many options for cargo carrying. Commander has 68.5 cu. ft. of cargo capacity with both rows of rear seats folded down or 36.3 cu. ft. with the 3rd-row folded down.

JEEP COMPASS The 2009 Jeep Compass provides front-wheel drive or four-wheel-drive flexibility, SmartWaySM Certification and up to 28 EPA highway MPG, while its inside amenities, with an all-new interior design, deliver the versatility and convenience of an SUV. Engine choices for Compass include a standard 2.4 liter I-4 DOHC 16V dual VVT and available 2.0 liter I-4 DOHC 16V dual VVT engine. The new 2.4L 4-cylinder Partial Zero Emissions Vehicle (PZEV) is available in California Emissions States. A Continuously Variable Automatic Transmission with AutoStick® is also available.

JEEP LIBERTY Jeep Liberty is functionally designed for the driver who requires 4x4 capability, on-road smoothness and comfort. The independent front and new five-link rear suspension systems, along with up to 5,000-lb. towing capacity, makes Liberty quite a workhorse. There is plenty of room for easier loading and unloading with the 65/35 split-folding rear seat featuring a fold-flat design and the fold-flat passenger and rear seats. Standard safety features include Supplemental side-curtain air bags, advanced multistage driver and front-passenger air bags, Electronic Stability Program (ESP), 4-wheel antilock brake system (ABS), remote keyless/illuminated entry, and Sentry Key® antitheft engine immobilizer.



2009 Chrysler

JEEP GRAND CHEROKEE The 2009 Grand Cherokee offers “eyes in the back of your head” via the available ParkView™ Rear Back-Up Camera. This feature helps the driver determine if an obstacle is in the path of the vehicle and supplies better rearward visibility when the vehicle is in reverse. With a choice of four engines (3.7 liter V6, 4.7 liter FFV V8, Newly redesigned 5.7 liter HEMI® V8, and 6.1 liter HEMI V8) and 68.5 cu. ft. of cargo space with the rear seats folded down and 34.5 cu. ft. of cargo space with all the seats up, Grand Cherokee is the perfect vehicle to accommodate any job.

JEEP PATRIOT An excellent choice for your fleet, the SmartWay™ Certified Jeep Patriot provides the utility of an SUV with the nimble handling and fuel economy of a small car. Patriot is a fuel-efficient 4x4 with its standard 2.4 liter I-4 DOHC 16V Variable Valve Timing (VVT) World Engine that provides 172hp, or with the available 2.0 liter I-4 DOHC 16V VVT engine provides 158hp. The new 2.4 liter 4-cylinder Partial Zero Emissions Vehicle (PZEV) is available in California Emissions States. A 4-wheel independent suspension comes standard and the Continuously Variable Transmission (CVT2) with AutoStick® is available.

Trucks

DODGE DAKOTA Dodge Dakota offers the combination of full-size pickup capability and performance with outstanding interior space, driver comfort, and a long list of standard and available safety and security features not found in other mid-size pickups. Dakota has towing capabilities of up to 7,050 lbs. Engine options include: 3.7 liter Magnum® V6 which delivers 210hp, and 4.7 liter Flex Fuel V8, which delivers 302hp. There is also the available 50-state 4.7 liter Flex Fuel V8 that runs on environmentally friendly E85 ethanol as well as regular gasoline. New features include an available unique underseat storage system along with a standard full-size spare tire and automatic oil change monitoring system.

DODGE RAM PICKUP 1500/2500/3500 The all-new Dodge Ram 1500 offers the power, reliability and capability you expect from Dodge, now with more standard safety and security features, new innovative technology, and increased horsepower and torque in the new fuel-saving 5.7 liter engine. Regular, Quad Cab® and Crew 1500 come in five trim packages (ST, SLT, Sport, TRX and Laramie) with three full-size cargo beds: 8', 6' 4", and 5' 7"; and three engine options: 3.7 liter Magnum® V6, 50-state 4.7 liter Flex Fuel V8, and new 5.7 liter HEMI® V8 with variable valve timing and MDS. Fleet features include available floor shifter, daytime running lamps, standard front and rear heavy-duty shock absorbers and 730 CCA battery. Vinyl floor covering comes standard on ST and is available on SLT. The new 5.7 liter HEMI V8 with Variable Valve Timing, available on the Ram 2500, offers more horsepower and torque than the previous generation. The Dodge Ram 2500 and 3500 offer the reliable 6.7 liter Cummins V8 with Variable Valve Timing, also available on Ram 2500. The


available 6.7 liter Cummins Turbo Diesel engine delivers up to 350hp and 650 lb-ft of torque and meets the 50-State 2010 emissions standards or the available B5 biodiesel compatible (with Cummins Turbo Diesel).

Crossovers

CHRYSLER CALIBER Dodge Caliber offers loads of value, including excellent fuel economy and SmartWay™ Certification. In addition to its many standard safety and security features, it provides seating for five. Dodge Caliber's Continuously Variable Transmission (CVT) improves fuel economy by about 8%. Caliber's engine/transaxle choices include: 1.8 liter DOHC 16V dual VVT 4-cylinder/5-speed manual, 2.0L DOHC 16V dual VVT 4-cylinder/CVT2 or CVT2 with AutoStick®, or 2.4 liter DOHC 16V VVT 4-cylinder/5-speed manual CVT2 with AutoStick®. The new 2.4 liter 4-cylinder Partial Zero Emissions Vehicle (PZEV) is available in California Emissions States. With room for five with 95.1 cu. ft. of passenger room, Caliber is as roomy as it is fun to drive.

CHRYSLER PT CRUISER Take comfortable seating for five, a removable rear seat, and an estimated highway EPA of 26 miles per gallon and you've got the highly acclaimed, SmartWay™ - Certified Chrysler PT Cruiser. It's spacious with 62.7 cu. ft. of cargo area (with all seats folded). The rear seats are 65/35 split with Fold-and-Tumble removable rear seats. Standards include power windows with driver one-touch down feature, soft-touch electric liftgate switch, floor console with covered storage, 12-volt auxiliary power outlet in center console, power rack-and-pinion steering, and normal-duty front suspension with stabilizer bar with MacPherson struts and coil springs. Safety is top-of-mind with such standards as advanced multistage driver and front-passenger air bags with OCS and driver-side inflatable knee blocker, supplemental driver and front-passenger side seat-mounted air bags, remote keyless entry, and Sentry Key® antitheft engine immobilizer.

DODGE JOURNEY The all-new 2009 Dodge Journey offers more crossover for the money by combining the best aspects of an SUV, a minivan and a passenger car into the ultimate fleet vehicle. Two engine options include the 2.4 liter DOHC I-4 World Engine with Dual VVT or the 3.5 liter High Output V6. The New 2.4 liter 4-cylinder Partial Zero Emissions Vehicle (PZEV) is available in California Emissions States. Journey offers more than 67 cu. ft. of cargo volume and more than 75 standard features. There are excellent storage options and a tri-fold load floor that holds 250 lbs. of cargo. The standard 90-degree rear side-door opening make loading and unloading easy. Available Fleet features include a Comfort and Convenience Group (front-passenger fold-flat seat with Flip 'n Stow in-seat storage, manual driver, lumbar adjust, premium cloth seats with YES Essentials® seat fabric, power 6-way driver seat and second-row seat with two booster seats), daytime running lamps, tonneau cover, a 3.5 liter High-Output 24V V6, UConnect® Hands-Free Communication System, and leather-trimmed bucket seats.



2009 Chrysler Model Vehicle Specifications

| MID-SIZE | Body | Standard | Standard | Wheel | Overall | Overall | Overall | Curb | Cargo Capacity | Fuel | Est. MPG | Seating | 1st Row | | | | 2nd Row | | | | 3rd Row | | | |
|---------------------|-------|----------|----------|-------|---------|---------|---------|--------|---------------------|----------|----------|----------|---------|------|------|-----------|---------|------|------|-----------|---------|-----|------|-----------|
| | Style | Engine | Trans.. | Base | Length | Width | Height | Weight | Norm. / Adj. / Max. | Capacity | City/Hwy | Capacity | Head | Hip | Legs | Shoulders | Head | Hip | Legs | Shoulders | Head | Hip | Legs | Shoulders |
| Dodge Avenger SE | Sedan | 2.4L I-4 | 4spd AT | 108.9 | 190.9 | 72.8 | 58.9 | NA | 13.4 | 16.9 | 21/30 | 5 | 40.0 | 53.2 | 42.4 | 56.4 | 38.3 | 53.2 | 36.2 | 56.3 | - | - | - | - |
| Chrysler Sebring LX | Sedan | 2.4L I-4 | 4spd AT | 108.9 | 190.6 | 71.2 | 59.0 | NA | 13.6 | 16.9 | 21/30 | 5 | 40.1 | 53.5 | 42.4 | 56.4 | 38.4 | 53.2 | 36.2 | 56.4 | - | - | - | - |

| FULL SIZE & LUXURY | Body | Standard | Standard | Wheel | Overall | Overall | Overall | Curb | Cargo Capacity | Fuel | Est. MPG | Seating | 1st Row | | | | 2nd Row | | | | 3rd Row | | | |
|--------------------|--------|----------|----------|-------|---------|---------|---------|--------|---------------------|----------|----------|----------|---------|------|------|-----------|---------|------|------|-----------|---------|-----|------|-----------|
| | Style | Engine | Trans.. | Base | Length | Width | Height | Weight | Norm. / Adj. / Max. | Capacity | City/Hwy | Capacity | Head | Hip | Legs | Shoulders | Head | Hip | Legs | Shoulders | Head | Hip | Legs | Shoulders |
| Chrysler 300 LX | Base | 2.7L V6 | 4spd AT | 120.0 | 196.8 | 74.1 | 58.4 | NA | 17.2 | 18.0 | 18/26 | 5 | 38.7 | 55.9 | 41.8 | 59.4 | 38.7 | 55.9 | 41.8 | 59.4 | - | - | - | - |
| Dodge Charger SE | 4 door | 2.7L | 4spd AT | 120.0 | 200.1 | 74.5 | 58.2 | NA | 16.2 | 18.0 | 18/26 | 5 | 38.7 | 56.2 | 41.8 | 59.3 | 36.2 | 55.5 | 40.2 | 57.6 | - | - | - | - |

| SPORT UTILITY | Body | Standard | Standard | Wheel | Overall | Overall | Overall | Curb | Cargo Capacity | Fuel | Est. MPG | Max. | Max. | Max. | 1st Row | | | | 2nd Row | | | | 3rd Row Optional | | | | |
|----------------------------|-------|----------|----------|-------|---------|---------|---------|--------|---------------------|----------|----------|-------|------|--------|---------|------|------|------|-----------|------|------|------|------------------|------|------|------|-----------|
| | Style | Engine | Trans. | Base | Length | Width | Height | Weight | Norm. / Adj. / Max. | Capacity | City/Hwy | Seats | GVW | Towing | Payload | Head | Hip | Legs | Shoulders | Head | Hip | Legs | Shoulders | Head | Hip | Legs | Shoulders |
| Dodge Aspen | 4x2 | 4.7L V8 | 5spd AT | 119.2 | 202.1 | 76.0 | 73.6 | NA | 20.1 / 68.4 / 102.4 | 27.0 | 14/19 | 8 | 6650 | 8900 | NA | 40.8 | 58.8 | 41.4 | 59.6 | 39.2 | 57.2 | 37.4 | 59.6 | 39.2 | 48.0 | 34.5 | 58.9 |
| Dodge Durango | 4x2 | 3.7L V6 | 4spd AT | 119.2 | 200.8 | 76.0 | 73.5 | NA | 20.1 / 68.4 / 102.4 | 27.0 | 14/19 | 8 | 6650 | 8950 | NA | 40.8 | 58.8 | 41.4 | 59.6 | 39.2 | 57.2 | 37.4 | 59.6 | 39.2 | 48.0 | 34.5 | 58.9 |
| Dodge Journey SE | FWD | 2.4L I-4 | 4spd AT | 113.8 | 192.4 | 74.0 | 66.6 | 3799 | 39.6 / Max. 67.6 | 20.5 | NA | 5 | NA | NA | NA | 40.8 | 53.8 | 40.8 | 57.5 | 39.9 | 54.4 | 33.6 | 56.9 | - | - | - | - |
| Dodge Nitro SE | 4x2 | 3.7L V6 | 4spd AT | 108.8 | 178.9 | 73.1 | 69.9 | 3982 | 32.1 / 65.2 / 75.6 | 19.5 | 16/22 | 5 | NA | 5000 | 1150 | 40.6 | 56.8 | 40.8 | 57.2 | 40.8 | 47.4 | 37.7 | 56.4 | - | - | - | - |
| Jeep Commander Sport | 4x2 | 3.7L V6 | 5spd AT | 109.5 | 188.5 | 89.0 | 75.6 | 4541 | 7.5 / 36.3 / 68.5 | 21.1 | 14/19 | 5 | 3500 | NA | NA | 42.1 | 55.6 | 41.7 | 59.0 | 40.2 | 54.0 | 36.1 | 58.5 | 35.7 | 44.6 | 28.9 | 50.6 |
| Jeep Compass Sport | 4x2 | 2.4L I-4 | 5spd MT | 103.7 | 173.4 | 71.3 | 64.2 | 3071 | 22.7 / 53.6 / 61.8 | 13.6 | 23/28 | 5 | 4575 | 1000 | NA | 40.7 | 52.3 | 40.6 | 54.6 | 39.9 | 51.0 | 39.3 | 54.0 | - | - | - | - |
| Jeep Grand Cherokee Laredo | 4x4 | 3.7L V6 | 5spd AT | 109.5 | 186.7 | 84.2 | 68.7 | 4450 | 34.5 / Max. 68.5 | 21.1 | 15/19 | 5 | 3500 | NA | NA | 39.3 | 57.1 | 41.7 | 59.1 | 39.2 | 55.7 | 35.5 | 58.4 | - | - | - | - |
| Jeep Liberty Base | 4x2 | 3.7L V6 | 4spd AT | 106.1 | 176.9 | 72.4 | 70.2 | 3981 | 31.5 / Max. 64.2 | 19.5 | 16/22 | 5 | NA | 5000 | 1150 | 40.4 | 52.7 | 40.8 | 56.8 | 40.3 | 48.4 | 38.8 | 56.6 | - | - | - | - |
| Jeep Patriot Sport | 4x2 | 2.4L I-4 | 5spd MT | 103.7 | 173.6 | 69.1 | 65.7 | 3108 | 23.0 / 54.2 / 62.7 | 13.6 | 23/28 | 5 | 4575 | 1000 | NA | 41.0 | 52.3 | 40.6 | 54.6 | 39.9 | 51.0 | 39.4 | 54.0 | - | - | - | - |

| CROSSOVER VEHICLES | Body | Standard | Standard | Wheel | Exterior | Exterior | Exterior | Curb | Cargo Capacity | Fuel | Est. MPG | Max. | Max. | Max. | 1st Row | | | | 2nd Row | | | | 3rd Row Optional | | | | |
|------------------------|--------|----------|----------|-------|----------|----------|----------|--------|----------------|----------|----------|-------|------|--------|---------|------|------|------|-----------|------|------|------|------------------|------|-----|------|-----------|
| | Style | Engine | Trans. | Base | Length | Width | Height | Weight | Norm. / Adj. | Capacity | City/Hwy | Seats | GVW | Towing | Payload | Head | Hip | Legs | Shoulders | Head | Hip | Legs | Shoulders | Head | Hip | Legs | Shoulders |
| Chrysler PT Cruiser LX | Base | 2.4L I-4 | 5spd MT | 103.0 | NA | 67.1 | 63.0 | 3147 | 21.6 / 62.7 | 15.0 | 21/26 | 5 | NA | NA | NA | 39.2 | 50.1 | 40.6 | 53.8 | 39.5 | 46.7 | 40.9 | 53.6 | - | - | - | - |
| Dodge Caliber SE | 4 door | 1.8L I-4 | 5spd MT | 103.7 | 173.8 | 68.8 | 60.4 | 2966 | 18.5 / 48.0 | 13.6 | 24/29 | 5 | NA | NA | NA | 39.8 | 52.2 | 41.8 | 54.2 | 38.9 | 49.6 | 35.7 | 53.4 | - | - | - | - |

| VANS | Body | Standard | Standard | Wheel | Overall | Overall | Overall | Curb | Cargo Capacity | Fuel | Est. MPG | Seating | 1st Row | | | | 2nd Row | | | | 3rd Row | | | |
|-----------------------------------|-------|----------|----------|-------|---------|---------|---------|--------|---------------------|----------|----------|----------|---------|------|------|-----------|---------|------|------|-----------|---------|------|------|-----------|
| | Style | Engine | Trans. | Base | Length | Width | Height | Weight | Norm. / Adj. / Max. | Capacity | City/Hwy | Capacity | Head | Hip | Legs | Shoulders | Head | Hip | Legs | Shoulders | Head | Hip | Legs | Shoulders |
| Dodge Grand Caravan SXT | Base | 3.8L V6 | 6spd AT | 121.2 | 202.5 | 76.9 | 68.9 | 4321 | 32.3 / 82.6 / 143.8 | 20.5 | 16/23 | 7 | 39.8 | 57.0 | 40.6 | 63.0 | 39.2 | 64.8 | 36.4 | 64.7 | 37.9 | 48.7 | 37.6 | 62.0 |
| Dodge Grand Caravan Cargo | Base | 3.3L V6 | 4spd AT | 121.2 | 202.5 | 76.9 | 68.9 | 4091 | 32.3 / 82.6 / 143.8 | 20.5 | 17/23 | 2 | 39.8 | 57.0 | 40.6 | 63.0 | - | - | - | - | - | - | - | - |
| Dodge Sprinter Passenger Van 2500 | Base | 3.0L V6 | 5spd AT | 144.0 | 232.5 | 79.7 | 96.3 | 5613 | 141.3 | 25.0 | NA | 8 | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | NA | |
| Dodge Sprinter Cargo Van 2500 | Base | 3.0L V6 | 5spd AT | 144.0 | 232.5 | 79.7 | 96.3 | 4784 | 318.0 | 25.0 | NA | 5 | NA | NA | NA | NA | NA | NA | NA | - | - | - | - | |
| Chrysler Town & Country LX | Base | 3.3L V6 | 4spd AT | 121.2 | 202.5 | 76.9 | 68.9 | 4335 | 32.7 / 82.6 / 143.8 | 20.0 | 17/24 | 7 | 39.8 | 57.6 | 40.6 | 63.0 | 39.2 | 64.8 | 36.4 | 64.7 | 37.9 | 48.7 | 37.6 | 62.0 |

| LIGHT DUTY TRUCKS | Body | Standard | Standard | Wheel | Exterior | Exterior | Exterior | Fuel | Est. MPG | Max. | Max. | Towing | Front Dimensions | | | | Rear Dimensions | | | |
|------------------------------|-------|----------|----------|-------|----------|----------|----------|----------|----------|-------|---------|--------|------------------|------|------|----------|-----------------|------|------|----------|
| | Style | Engine | Trans. | Base | Length | Width | Height | Capacity | City/Hwy | GVW | Payload | | Head | Hip | Legs | Shoulder | Head | Hip | Legs | Shoulder |
| Dodge Dakota Extended Cab ST | 4x4 | 3.7L V6 | 6spd MT | 131.3 | 218.5 | 74.3 | 68.0 | 22.0 | NA | 6010 | 1720 | 7100 | 39.6 | 54.9 | 41.9 | 57.7 | 36.5 | 56.9 | 32.1 | 57.4 |
| Dodge Dakota Crew Cab ST | 4x4 | 3.7LV6 | 6spd MT | 131.3 | 218.8 | 74.3 | 68.1 | 22.0 | NA | 6010 | 1630 | 7050 | 39.9 | 54.9 | 41.9 | 57.7 | 38.4 | 56.0 | 36.4 | 57.5 |
| Dodge Ram 1500 Regular Cab** | 4x4 | 3.7LV6 | 4spd AT | 140.5 | 226.9 | 79.4 | 74.1 | 32.0 | 13/18 | 6600 | 1470 | NA | 40.8 | 63.6 | 41.0 | 66.0 | - | - | - | - |
| Dodge Ram 1500 Quad Cab** | 4x4 | 3.7LV6 | 4spd AT | 140.5 | 229.0 | 79.4 | 74.8 | 32.0 | 14/20 | 6700 | 1430 | NA | 41.3 | 63.2 | 41.0 | 66.0 | 39.7 | 63.2 | 36.8 | 65.7 |
| Dodge Ram 2500 Reg Cab** | 4x4 | 5.7L V8 | 5spd AT | 140.5 | 229.7 | 79.6 | 78.1 | 35.0* | (1) | 9000 | 2810 | NA | 40.8 | 65.0 | 41.0 | 67.0 | - | - | - | - |
| Dodge Ram 2500 Quad Cab** | 4x4 | 5.7L V8 | 5spd AT | 160.5 | 249.7 | 79.6 | 78.5 | 35.0* | (1) | 9000 | 2640 | NA | 41.0 | 65.0 | 41.0 | 67.0 | 40.0 | 65.3 | 36.7 | 66.5 |
| Dodge Ram 3500 Reg Cab** | 4x4 | 5.7L V8 | 5spd AT | 140.5 | 229.7 | 79.6 | 78.1 | 35.0* | (1) | 12200 | 5230 | NA | 40.8 | 65.0 | 41.0 | 67.0 | - | - | - | - |
| Dodge Ram 3500 Quad Cab** | 4x4 | 5.7L V8 | 5spd AT | 160.5 | 249.7 | 79.6 | 78.5 | 35.0* | (1) | 10100 | 4900 | NA | 41.0 | 65.0 | 41.0 | 67.0 | 40.0 | 65.3 | 36.7 | 66.5 |

*Notes 2008 information **8ft. box (1) EPA does not rate vehicles over 8500-pound GVW NA -Information not available at time of printing